

git



url

```
#   
git remote -v  
#   
git remote  
#   
git remote set-url origin https://gitee.com/xx/xx.git ( )
```



url

```
#   
git remote rm origin  
#   
git remote add origin https://gitee.com/xx/xx.git( )
```



```
git config user.name "cnb"  
git config user.email "cnb@example.com" # 
```



```
git config user.name  
git config user.email
```



```
git init
```

```
//[] .gitignore[]
```

```
touch .gitignore
```

```
//[]
```

```
git add .
```

```
git commit -m "[] Vue[] "
```

```
//[]
```

```
git remote add origin *****
```

```
//[] Token + Credential Manager[]
```

```
//[] HTTPS + Token[] Git []
```

```
//Username: [] san[]
```

```
//Password: [] passworortoken[]
```

```
//Git []
```

```
//[]
```

```
echo "protocol=https
```

```
host=cnb.cool
```

```
username=cnb
```

```
password=buuymQND8keC17" | git credential approve
```

```
//[]
```

```
git push -u origin master
```

```
# [] △ []
```

```
git push -u origin main --force
```

```
[][][]
```

```
//[]
```

```
git checkout main
```

```
git branch -d feature
```

```
//[]
```

```
git branch -D feature
```

```
[][]
```

