

# winfrom wpf

sdksdk "System.Reflection.AssemblyCompanyAttribute"

```
<PropertyGroup>
  <TargetFramework>net48</TargetFramework>
  <Configuration Condition=" '$(Configuration)' == '' ">Debug</Configuration>
  <Platform Condition=" '$(Platform)' == '' ">AnyCPU</Platform>
  <OutputType>WinExe</OutputType>
  <UseWindowsForms>true</UseWindowsForms>
  <ImportWindowsDesktopTargets>true</ImportWindowsDesktopTargets>
  // AssemblyInfo AssemblyInfo AssemblyInfo
  <GenerateAssemblyInfo>>false</GenerateAssemblyInfo>
</PropertyGroup>
```

```
<Target Name="PostBuild" AfterTargets="PostBuildEvent">
  <Exec Command=":: Lib Dll &#xD;&#xA;IF NOT EXIST &quot;$(TargetDir)libs&quot;
(&#xD;&#xA; MD &quot;$(TargetDir)libs&quot;&#xD;&#xA;)&#xD;&#xA;&#xD;&#xA;:: dll xml
pdb config libs &#xD;&#xA;move &quot;$(TargetDir)*.dll&quot;
&quot;$(TargetDir)libs&quot;&#xD;&#xA;move &quot;$(TargetDir)*.xml&quot;
&quot;$(TargetDir)libs&quot;&#xD;&#xA;move &quot;$(TargetDir)*.pdb&quot;
&quot;$(TargetDir)libs&quot;&#xD;&#xA;move &quot;$(TargetDir)*.config&quot;
&quot;$(TargetDir)libs&quot;&#xD;&#xA;&#xD;&#xA;:: runtimes libs &#xD;&#xA;move
&quot;$(TargetDir)runtimes&quot; &quot;$(TargetDir)libs&quot;&#xD;&#xA;&#xD;&#xA;::
libs &#xD;&#xA;move &quot;$(TargetDir)libs\NLog.config&quot;
&quot;$(TargetDir)NLog.config&quot;&#xD;&#xA;move &quot;$(TargetDir)libs$(ProjectName).exe.config&quot;
&quot;$(TargetDir)$(ProjectName).exe.config&quot;&#xD;&#xA;move
&quot;$(TargetDir)libs$(ProjectName).exe.xml&quot;
&quot;$(TargetDir)$(ProjectName).exe.xml&quot;&#xD;&#xA;move
&quot;$(TargetDir)libs$(ProjectName).pdb&quot; &quot;$(TargetDir)$(ProjectName).pdb&quot;" />
</Target>
```

```
//□□□□□□
```

```
<?xml version="1.0" encoding="utf-8"?>  
<configuration>  
  <startup>  
    <supportedRuntime version="v4.0" sku=".NETFramework,Version=v4.8" />  
  </startup>  
<runtime>  
  <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">  
    //□□□□□□  
    <probing privatePath="libs"/>  
    <dependentAssembly>  
      <assemblyIdentity name="System.Runtime.CompilerServices.Unsafe"  
publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />  
      <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />  
    </dependentAssembly>  
  </assemblyBinding>  
</runtime>  
<appSettings>  
  <add key="HostAddress" value="https://dcc.hzchum.com" />  
</appSettings>  
</configuration>
```

---

```
□□ #1
```

```
□ □ □□ 16 □□ 2025 16:07:19
```

```
□ □ □□ 16 □□ 2025 16:10:21
```